

जीवाजी विश्वविद्यालय, ग्वालियर

क्रमांक - JU/CIF/216/2017-18

दिनांक - 16/10/2017

ऑनलाइन e-निविदा आमंत्रण

सी आई एफ मे फर्नीचर Instrument Table, Conference Room Chair, Table ect. As Per Tender Document

फर्नीचर खरीदने के लिए केवल निर्माता / अधिकृत विक्रेता से एम् पी इ-प्रोक्योरमेंट सिस्टम के तहत निविदा आमंत्रित की जाती हैं जो की www.mpeproc.gov.in से डाउनलोड की जा सकती है, इसके अतिरिक्त विश्वविद्यालय की वेबसाइट www.jiwaji.edu पर भी देखी जा सकती है

निविदा प्रपत्र समस्त टर्म्स कंडीशन्स एवं तकनीकी विवरण सहित इ-प्रोक्योरमेंट वेबसाइट पर Rs. 2000/- की ऑनलाइन टेंडर फीस जमा करने पर डाउनलोड की जा सकती है

टीप

1. ऑनलाइन निविदा प्रपत्र क्रय करने की अंतिम तिथि 15/11/2017_ सायं 5.00 बजे तक है
2. ऑनलाइन बिड डालने का दिनांक 16/11/2017 सायं 5.00 बजे तक है
3. धरोहर राशि एवं अन्य दस्तावेज स्पीड पोस्ट /रजिस्टर्ड पोस्ट पंजीकृत पत्र के द्वारा जीवाजी विश्वविद्यालय स्टोर मे 20/11/2017 सायं 5.00 बजे तक प्राप्त की जाएगी
4. ऑनलाइन बिड खुलने का दिनांक 21/11/2017 निर्धारित है
5. निविदा के शेष समस्त जानकारी उपरोक्त दर्शायी गयी वेबसाइट्स पर देखी जा सकती है
6. कुलसचिव जीवाजी विश्वविद्यालय को बिना कोई कारण बताये निविदा स्वीकृत / अस्वीकृत / रद्दीकरण करने का अधिकार होगा




(कुलसचिव)
Registrar
Jiwaji University
Gwalior (M.P.)

JIWAJI UNIVERSITY, GWALIOR

No. JU/CIF /216/2017-18/

Date 16/10/2017

ONLINE e-TENDER NOTICE

Online tenders are invited in e-procurement system through www.mpeproc.gov.in from Manufacturer / Authorized distributor only, for supply of furniture (Instrument Table, Conference room chair, Table etc as per the tender document) for Central Instrumentation Facility.

Tender document containing terms, condition & specification of the items can be downloaded from the e-procurement website www.mpeproc.gov.in by paying Rs. _2000/- online tender can also be seen at Universities website www.jiwaji.edu

Terms:

1. Online tender can be purchased up to 5.00PM till _15/11/2017.
2. Online price bid can be submitted up to 5.00PM till _16/11/2017.
3. Earnest money (EMD) and other documents can be submitted at Jiwaji University Stores through Speed Post / Registerd Post up to 5.00PM till _20/11/2017.
4. Online bid will be opened on _21/11/2017.
5. All terms and conditions of the tender can be seen on above websites
6. Registrar JiwaJi University Gwalior reserve right to accept / reject / cancel any tender without stating any reason

REGISTRAR



JIWAJI UNIVERSITY, GWALIOR

No. JU/CIF /216/2017-18/

Date

ONLINE e-TENDER NOTICE

Online tenders are invited in e-procurement system through www.mpeproc.gov.in from Manufacturer / Authorized distributor only, for supply of furniture (Instrument Table, Conference room chair, Table etc as per the tender document) for Central Instrumentation Facility.

Tender document containing terms, condition & specification of the items can be downloaded from the e-procurement website www.mpeproc.gov.in by paying Rs. _2000/- online tender can also be seen at Universities website www.jiwaji.edu

Terms:

1. Online tender can be purchased up to 5.00PM till _15/11/2017.
2. Online price bid can be submitted up to 5.00PM till _16/11/2017.
3. Earnest money (EMD) and other documents can be submitted at Jiwaji University Stores through Speed Post / Registerd Post up to 5.00PM till _20/11/2017.
4. Online bid will be opened on _21/11/2017.
5. All terms and conditions of the tender can be seen on above websites
6. Registrar JiwaJi University Gwalior reserve right to accept / reject / cancel any tender without stating any reason

REGISTRAR

जीवाजी विश्वविद्यालय, ग्वालियर

क्रमांक – JU/CIF/216/2017-18

दिनांक -

ऑनलाइन e-निविदा आमंत्रण

सी.आई.एफ मे फर्नीचर Instrument Table, Conference Room Chair, Table ect. As Per Tender Document

फर्नीचर खरीदने के लिए केवल निर्माता / अधिकृत विक्रेता से एम् पी इ-प्रोक्योरमेंट सिस्टम के तहत निविदा आमंत्रित की जाती हैं जो की www.mpeproc.gov.in से डाउनलोड की जा सकती है, इसके अतिरिक्त विश्वविद्यालय की वेबसाइट www.jiwaji.edu पर भी देखी जा सकती है

निविदा प्रपत्र समस्त टर्म्स कंडीशन्स एवं तकनीकी विवरण सहित इ-प्रोक्योरमेनेट वेबसाइट पर Rs. 2000/- की ऑनलाइन टेंडर फीस जमा करने पर डाउनलोड की जा सकती है

टीप

१. ऑनलाइन निविदा प्रपत्र क्रय करने की अंतिम तिथि 15/11/2017_ सायं 5.00 बजे तक है
२. ऑनलाइन बिड डालने का दिनांक 16/11/2017 सायं 5.00 बजे तक है
३. धरोहर राशि एवं अन्य दस्तावेज स्पीड पोस्ट /रजिस्टर्ड पोस्ट पंजीकृत पत्र के द्वारा जीवाजी विश्वविद्यालय स्टोर मे 20/11/2017 सायं 5.00 बजे तक प्राप्त की जाएगी
४. ऑनलाइन बिड खुलने का दिनांक 21/11/2017 निर्धारित है
५. निविदा के शेष समस्त जानकारी उपरोक्त दर्शायी गयी वेबसाइट्स पर देखी जा सकती है
६. कुलसचिव जीवाजी विश्वविद्यालय को बिना कोई कारण बताये निविदा स्वीकृत / अस्वीकृत / रद्दीकरण करने का अधिकार होगा

(कुलसचिव)

Tender Form for supply of Furniture
Central Instrumentation Facility, JiwaJi University, Gwalior 474011

Tender Form No. JU/CIF/216/2017-18/

Name of work: Furniture (Instrument Table, Conference room Chair, Table ect. As per tender document)

Last date for purchase of online Tenders through www.mpeproc.gov.in : *_15/11/2017_ up to 5.00p.m.*

Last date for receiving online Tenders (Price bid) : *_16/11/2017_ up to 5.00p.m.*

Last date for receiving EMD, Technical bid And other document : *_20/11/2017_ up to 5.00p.m.*

Tender Cost : *Rs. _2000/-*

Earnest Money Deposit (EMD) : ***Rs. _40,000/-***

E-Tenders are invited from Reputed Manufacturers or their Authorized Representatives for the supply of *Furniture* specification as mentioned in the enclosed list. Tenders will be considered subject to the following terms and conditions.

- 1) All tenders must be accompanied by a Bank draft against EMD (as applicable) drawn in favor of Registrar, Jiwaji University, Gwalior for an amount mentioned above. Tenders received without earnest money will be liable to be rejected and may not be considered.
- 2) The tender document containing terms, conditions & specifications of the items can be downloaded from the MP Government e-procurement website www.mpeproc.gov.in by paying Rs. 2000/- online tenders can also be seen at Universities website www.jiwaji.edu.
- 3) The bidder should agree to furnish a Bank Guarantee from a Nationalized Bank for up to 10% of the Furniture, and should have validity for the entire Warranty Period.
- 4) The bidder should agree to execute an agreement for proper supply, installation and satisfactory working of the Furniture exactly to the specifications mentioned.

Signature of the Bidder with seal

- 5) The rates quoted should be FOR Gwalior. The prices should be exclusive of (without including) GST and other charges. However, the exact details of taxes should be given separately.
- 6) This institution is exempted from payment of Central Excise duty in terms of Govt. Notification No. 1097-Central Excise dated 01/03/1997 and modifications thereafter. Copy of necessary certificate will be provided by the University.
- 7) **Forfeiture of earnest money deposit:-** The earnest money deposit will be forfeited in the following cases:-
 - (i) When the tender withdraws or modifies the offer after opening of tender but before acceptance of tender.
 - (ii) When the tender does not submit the security deposit/Bank Guarantee within specified time after the order is given.
 - (iii) When the tenderer does not execute the offer agreement prescribed within the specified time.
 - (iv) When the tender fails to supply the answer books as per order within the time prescribed.
- 8) (i) Tender documents shall be filled in ink or typed. No tender filled in pencil shall be considered. The tenderer shall sign the tender documents on each page and at the end in token of acceptance of all the terms and conditions of the tender.
 - (ii) No paper should be detached from the tender document.
 - (iii) The tenderer shall sign with seal on every page of the tender documents and terms & conditions in token of his acceptance of all the terms & conditions of the tender and submit the same along with technical bid. In case non receipt of terms and conditions duly signed with the technical bid the tender will be rejected.
- 9) **SECURITY DEPOSIT & AGREEMENT**
 - (i) Firm whose offer is accepted will have to deposit a Security deposit in form of a bank guarantee equal to 10% (ten percent) of the total value of order by a nationalized bank in favor Registrar, Jiwaji University, Gwalior. The security amount shall in no case be less than earnest money. The earnest money of successful tender will be adjusted toward security deposit and bank guarantee of balance security deposit amount should be submitted by the successful tender in prescribed time limit.

Signature of the Bidder with seal

- (ii) Successful tenderer will have to execute an agreement on a Non Judicial Stamp paper of Rs. 100/- in the prescribed form with the Registrar, Jiwaji University, Gwalior and deposit bank guarantee within 10 days from the date on which the order is issued to the tenderer, under Registered post. The security deposit will be refunded after three months from the date of expiry of the contract or on the expiry of guarantee, if any whichever is later. The department will pay no interest on security deposit/earnest money deposit.
- (iii) In case of breach of any terms and conditions of the contract or on unsatisfactory performance, the amount of security deposit shall be liable to be forfeited by Registrar Jiwaji University, Gwalior and his decision shall be final. The expenses of completing and stamping the agreement shall be paid by the tenderer.

10) **SUPPLY ORDERS :-** Subletting or assigning contract to third party is prohibited. In the event if Tenderer violates this condition, Registrar, Jiwaji University, Gwalior shall be at liberty to place the contract elsewhere on the Tenderer's account and at his risk. The tenderer shall be liable for any loss for damage, which the contract.

11) Legal proceeding if any arising out of the tender shall have to be lodged in courts situated in Gwalior city only.

12) In the event of dispute arising out of this agreement, the Vice Chancellor Jiwaji University shall be the sole Arbitrator and his decision shall be final and binding on both the parties.

13) It is expected and assumed that all document, certificates declarations made are true and correct the basis of which technical evaluation will be made. If the above information is not correct and subsequently has come to the knowledge of Jiwaji University, then the awarded contract may be liable for cancellation at the discretion of Jiwaji University and EMD/ Security Deposit will be forfeited.

14) The transportation up to Jiwaji University should be undertaken by the supplier and prices should be included in the bid. All relevant documents shall be provided by the University

Signature of the Bidder with seal

- 15) The manufacturer's name, their trademark and brand should invariably be mentioned in the tender and illustrated leaflets giving technical particulars/ details etc. should be attached with the quotation to facilitate consideration of the offer.
- 16) The Bidder should quote their best willing price which should be valid for the period of 120 days from the due date of tender.
- 17) The period of delivery of the Furniture should be quoted.
- 18) The tender should avoid the use of vague terms such as "extra as applicable".
- 19) Printed conditions on the back of the offer submitted will not be binding unless separately mentioned
- 20) E-tender along with terms and conditions must be submitted separately so that for individual item separate comparative statements could be prepared.
- 21) Advance payment either direct or through bank will not be accepted under any circumstances. As per rule, full payment will be made after receipt of material, inspection thereof and after satisfactory installation and working Payment through LC is acceptable in case of imported equipment only.
- 22) The tenderer should clearly state regarding charges for maintenance, etc. of the Furniture, if any. Installation should be done free of cost.
- 23) Offers received not according to our terms and conditions and within the time prescribed shall be rejected. Delay due to postal services of any kind will not be considered for acceptance of the tender.
- 24) In all matters of dispute the decision of Registrar, Jiwaji University, Gwalior shall be final & binding on the Bidders.
- 25) The address of Customer Care Centre for maintenance along with the list of well-reputed organizations that have purchased the same Furniture or similar Furniture should be provided
- 26) In case of an authorized dealer, a copy of the current Certificate from Manufacturer must be attached as proof.
- 27) The date and time of opening of tender is **21/11/2017 at 3.30pm** in the presence of intending Bidders or their representative who may like to be present in the office of the Registrar, Jiwaji University, Gwalior.

Signature of the Bidder with seal

- 28) If any of the dates of the receipt /opening of Tender happen to be declared as holiday, the schedule will be shifted to the next working day automatically. The University reserves the right to change the date.
- 29) The Sealed Tender envelope should contain two sealed envelopes.
- A. The "First envelop should be Super scribed as 'Technical Bid this should contain the specifications of the equipment and terms & conditions of supply, and the questionnaires for terms of supply and the specification sheets (supplied by the University along with Tender document) duly checked yes/no etc. No price should be mentioned.
- B. The 'Second' sealed envelope should be super scribed as 'EMD and should contain the Earnest money in original and receipt of Rs. 40,000/- paid through www.mpeproc.gov.in.

The above two sealed envelopes must be placed in one sealed envelope and should be super scribed "Tender No, for (name of item), to be opened on 21/11/2017.." Only those tenders which fulfill the technical specifications shall be considered for opening of the commercial bid.

Financial bid to be submitted online only.

- 30) Sealed envelops should reach the Registrar, Jiwaji University, Gwalior -474011 on or before 20/11/2017, by 5.00p.m. by Speed Post/ Registered Post / Drop Box only.
- 31) The prices charged for the items supplied by successful Tenderer shall in no event exceed the lowest price at which the successful Tenderer sells the same items to any other persons during the period of supply to the University.
- 32) If any time, during the period of supply, the tenderer reduces the sales price chargeable for any item, he shall forthwith notify such reduction to the Registrar, Jiwaji University, Gwalior, and the price payable for the items supplied after the date of coming into force of such reduction or sale shall stand corresponding reduced.

Signature of the Bidder with seal

- 33) All the accessories are to be treated as one unit and separate tenders are not required for each accessory. The cost of Essential Accessories will have to be included in the total cost of the Furniture ItemWise.
- 34) Performance reports and List of organizations in India (along with phone numbers of users) who have been supplied the same (or similar) model of the equipment should be provided.
- 35) Canvassing for support in any form for the acceptance of any tender is strictly prohibited. Any tenderer doing so will tender himself liable to the penalties, which may include removing of his name from the register of approved Suppliers.
- 36) The bidder shall forfeit the EMD if we find the bidder providing any false information and no further communication in this respect shall be entertained.

Registrar

Jiwaji University

I/We accept the terms and conditions of the tender and understand the decision of the University shall be final and acceptable to me /us

Signature and Seal of the Tenderer

With Date

Jiwaji University, Gwalior

Annexure-1

(To be enclosed with the Technical Bid)

Tender for Furniture

Tender Form No. JU/CIF/_____/2017-18

Date: _____

Name of the party submitting: _____
the Tender _____

To
The Registrar

Jiwaji University
Gwalior 474 011, MP, India

Dear Sir,

1.I/We hereby submit our tender for : the purchase of furniture in CIF.

2.I/We am/are enclosing herewith DD No. _____
.....Dated.....For Rs..... drawn in
favour of the “ The Registrar, Jiwaji University, Gwalior” towards EMD, and Receipt
dated..... For Rs. 2000/- towards tender fee paid through www.mpeoproc.gov.in (
TENDERS NOT ACCOMPANIED WITH EMD ALONG WITH THE TECHNICAL BID
SHALL BE SUMMARILY REJECTED).

3.I/We have gone through all terms and conditions of the tender documents before submitting
the same.

4.I/We hereby agree to all the terms and conditions, stipulated by the Jiwaji University, in this
connection including delivery, warranty, penalty, etc. Quotations for each item are being
submitted under separate covers, and shall be considered on their face value.

5.I/We have noted that overwritten entries shall be deleted unless duly cut & re-written and initialed.

6.Tenders are duly signed (No thumb impression should be affixed)

7.I/We undertake to sign the contract/agreement, if required, within 15 (Fifteen days) from the date of issue of the letter of acceptance, failing which our/my earnest money deposited may be forfeited and our/my name may be removed from the list of suppliers at Jiwaji University, Gwalior.

Yours faithfully,

**Signature of Tender(s) with full
Address.**

(To be enclosed with the Technical Bid)

CHECK LIST FOR TERMS AND CONDITIONS

Check list for Terms and Conditions (To be filled by the bidder and submitted along with the technical bid). Supporting documents must be numbered serially and the same must be indicated here on this page. These documents should be placed inside the envelope containing technical bid.

1. Certificate of Manufacturer / Indian Subsidiary of the Manufacturer / Authorized Representative in India, enclosed.
2. List of organizations supplied with the Furniture or similar Furniture (at least 03 in India)_____
3. Whether the quoted price is – FOR Jiwaji University, Gwalior:
4. Whether rates are quoted as per tender's specifications _____
5. Quotation being submitted directly by the manufacturer or authorized representative _____
6. Quality assurance certificate like ISI, ISO 9002, IP/BP or any other, please specify.
7. Proof of tendering firm having filled IT Return for FY 2013-14, 2014-15 & 2015-16 attached _____
8. EMD is enclosed_____
9. Copy of GST registration attached_____
10. Tender fee Receipt of MP Online enclosed_____
11. Literature of original catalogue of the product and accessories are attached for reference_____
- 12 Comprehensive Guarantee/Warranty for a period not less than one year: YES/NO.

(SIGNATURE OF THE BIDDER WITH NAME & SEAL)

(To be enclosed with the Technical Bid)

1	Reputed manufactures of Furniture (specified in the tender notice) or their Authorized agents with well established sales and services facilities only need to respond to the tender notice.	Confirm / do not confirm to Requirement
2	Separate quotation must be submitted for each item specified in the tender notice. Taxes, duties, packing & forwarding charges, transport and insurance charges may be separately indicated where applicable	Complied/ Not compiled
3	The make model no. detailed specifications; illustrative pamphlets must accompany the quotation without which the quotation are liable to be rejected.	Complied/ Not compiled
4	In case the bidder is an authorized agent, documentary proof to this effect must be enclosed with the quotation.	Enclosed / not Enclosed
5	Bidders detailed company profile, information on after sales/ service and test facilities available along with address and telephone no. of sales office and service centre catering to Gwalior must be given along with the quotation. Details of product & application support available may also be indicated.	Information enclosed / not enclosed
6	The bidder must indicate whether he is willing to supply complete layout diagram, service manual and component identification catalogue along with the furniture free of charge in case an order is placed with him. The supply of this literature will be considered as part of supply of furniture offered.	Will be supplied/ Cannot supply
7	The bidder must furnish a list of customers to whom the Furniture quoted has been supplied preferably in Central/Northern India. Name and contact telephone no. of the customers may be furnished.	Enclosed / not enclosed
8	Technical specification must be furnished in sealed envelopes separately for each item quoted under the tender. The name of the item quoted and tender notice particulars should be clearly indicated on top of the envelope	Complied/ Not compiled

9	Bidders are requested to carefully go through the specifications given in the tender and quote only when they are sure they have product specified to offer.	Complied / not complied
10	Warranty details and terms and conditions of warranty must be given. If any component of the equipment quoted is not covered by the warranty, the same must be specified.	Complied / not complied
11	The bidder will furnish a test certificate along with complete test result and the test conditions for the Furniture specifications offered in case an order is placed.	Agreeable / Not agreeable
12	(a) If an order is placed with the bidder, the bidder will install and test the Furniture to its specifications at site of installation free of charge. (b) If it is not possible to test some specifications, the same may be indicated.	Agreeable / Not agreeable Agreeable / Not agreeable
13	Performance guarantee: In case the Purchase Order is placed, 10% of the furniture value has to be submitted as performance security deposit in the form of bank Guarantee till the completion of warranty period.	Agreeable / Not agreeable
14	The bidder(s) must carry validation test at the site of installation at their own cost.	Yes / No

Note:

- 1) Unless the questionnaire is completely filled in and detailed information provided as required, your offer is liable to be rejected.
- 2) Complete questionnaire should be signed by the bidder and sent along with the quotation in the Technical Bid.

Further Instructions

1. The Technical bid and EMD should be enclosed separately in sealed covers and both the envelopes must be placed together (along with the EMD cover) in another outer cover which should be sealed. This is to ensure that if the technical bid qualifies with the laid down specifications and configurations, only then the price bid will be opened. The envelopes should be carefully super scribed as has been mentioned earlier.
2. EMD: EMD and Tender Fee Receipt should be kept (together) in a separate Sealed Cover (EMD cover)
3. The technical bid must have the following enclosures:
 - a. True copy of technical bid. All items quoted must be clearly indicated.
 - b. Detailed literature, illustrative pamphlets, company profile, customers list & questionnaire duly filled and tender form along with Annexure 1-3 duly signed.
4. The two sealed envelopes (i. Technical bid and ii. EMD) should be kept in the outer sealed cover.
5. Authorized dealers should submit a copy of valid dealership certificate along with quotation.
6. The last date for submitting e- tender is 16/11/2017_by 5.00 P.M.
7. Late/delayed offers will not be accepted.
8. In event of any date indicated above is a declared holiday the next working day shall become operative for the respective Purpose mentioned therein.

9. The technical bids will be opened in the presence of the bidders or their authorized representatives on 21/11/2017 at 3.30 pm, in the University Office, Jiwaji University, Gwalior. It is the responsibility of the bidders to present themselves at the time of opening of the technical bids.
10. The Registrar of Jiwaji University reserves to accept or reject any offer in part or whole without assigning any reasons whatsoever.
11. The tender document can be downloaded from the website www.mpeproc.gov.in. The download tenders should be accompanied by receipt of Rs. 2,000/- paid through www.mpeproc.gov.in towards the tender fee.

Signature of the Bidder

//AFFIDAVIT//

(To be Contained in Envelop I)

(on non judicial stamp of Rs.100/-)

I/We.....
....who is/are(status in the firm/company) and
competent for submission of the affidavit on behalf of
M/s.....

(Contractor) do solemnly affirm an oath and state that:

I/we, am/are fully satisfied for the correctness of the certificates / records submitted in support of the following information in bid documents which are being submitted in response to notice inviting e-tender No.....for.....(name of work) datedissued by the(name of the department).

I/we am/are fully responsible for the correctness of following self-certified information/document and certificates:

1. That the self-certified information given in the bid document is fully true and authentic.
2. That:
 - a. Demand draft deposited as earnest money, demand draft for cost of bid document and other relevant document provided by the bank are authentic.
 - b. Information regarding financial qualification and annual turnover is correct.
 - c. Information regarding various technical qualifications is correct.
3. No close relative of the undersigned and our firm/company is working in the department.

OR

4. Following close relative are working in the department:

Name.....Post.....Present

Posting.....

Signature with seal of the deponent (bidder)

I/We.....above deponent do hereby certify that the facts mentioned in above paras 1 to 4 are correct to the best of my knowledge and belief.

Verified today(Dated) at.....(place)

Signature with seal of the deponent (bidder)

JIWAJI UNIVERSITY, GWALIOR

COMMERCIAL BID (ONLINE) FOR PURCHASE OF FURNITURE

1. Name of the Firm :-.....
2. Address of the Firm :-.....
3. Name of the Proprietor / Partner / Director of the Firm :-.....
4. Telephone No. :-.....

Kindly read all the conditions given in tender form before filling the commercial bid compulsorily, **do not mention rates in below table (Leave it blank)**

Sr. No.	Furniture	Quantity	Rate / Item	
			CURRENCY	
			In Figure	In words
1	Conference fixing table : Table size should not be less than Width 2350 mm, Depth 1350 mm and Height 740 mm.	1		
2	high back rev chairs GRIHA certified having SEAT/BACK ASSEMBLY made up of 1.2 ±0.1cm. the high back size is 47 cm W x 69.5cm H and the seat size is 47 cm W x 48 cm D.	1		
3	Conference fixing of chairs GRIHA CERTIFIED mid back having seat/back assembly made up of 1.2 ±0.1cm. Back Size should be 47.5 cm. (W) x 58.0 cm. (H) - SEAT SIZE 47.0 cm. (W) x 48.0 cm. (D).	8		
	(a): Lab. table (L 4350 X D 1540) WITH Hanging Storage 750 Mm W, 535 Mm D & 485 Mm H - 6 Nos and 1500 Module Length Single Side Electrical Trunking - Cutouts: 6M + 6M + 6M both side.	1		
	(b) : Lab. table (L 2700 X D 1540)WITH Hanging Storage 750 Mm W, 535 Mm D & 485 Mm H - 4 Nos and 1500 Module Length Single Side Electrical Trunking - Cutouts: 6M + 6M + 6M both side & Island table (L 2100 X D 1240) - 2 no WITH	1		

	Hanging Storage 750 Mm W, 535 Mm D & 485 Mm H -2 Nos and 1500 Module Length Single Side Electrical Trunking - Cutouts: 6M + 6M + 6M one side			
	(c): Lab. table (L 4350 X D 1540) WITH Hanging Storage 750 Mm W, 535 Mm D & 485 Mm H - 6 Nos and 1500 Module Length Single Side Electrical Trunking - Cutouts: 6M + 6M + 6M both side.	1		
	(d) : Lab. tables (L 2700 X D 1540) WITH Hanging Storage 750 Mm W, 535 Mm D & 485 Mm H - 4 Nos and 1500 Module Length Single Side Electrical Trunking - Cutouts: 6M + 6M + 6M both side.	2		
5	Seminar hall fixing chair of having seat and back are made up of 1.2 ± 0.1cm thick. Back Size 49cmWX47cmH and Seat size 49cmX44cm.	36		
6	Office fixing 4 seater Module workstation - Tile Based System with thickness should not be less than 50 mm and 25 mm fins on return. Frame should have Vertical upright made from minimum 1.5mm thick CRCA M.S. Grade D formed into "C" channel of 28.4 X 40. The top & Bottom horizontal should be minimum 1.2 mm thick M.S. tube of 25.4 X 25.4 mm (1 X 1 inch). the configuration of the Pedestal should be 2 Box and one file drawer and the size is 450W X 450D X 705 ht including leveler	1		
7	Executive fixing Table whose main top should be 1800 X 795mm particle board melamyne finish. It should have 25mm top plus 15mm frame, 2 mm PVC lipping on top and 0.35mm PVC lipping on frame. Modesty panel should be of 1100 X 405 X 16mm thick particle board melamyne finish with 0.35 mm thick PVC lipping. Drawer front of 500 X 170 X 16mm thick	1		
8	Office fixing revolving Mid back Chair having seat and back should be made up of 1.2 cm thick hot pressed plywood, The polyurethane foam should be moulded with density = 45 +/-2 kg/m ³ and Hardness = 16 +/- 2 . The Seat size is of 45cm(W) x 42 cm(D) & back size of 39cm(W) x 38cm(H).	4		

(SIGNATURE OF THE BIDDER WITH NAME & SEAL)

Specification Of Item

S No	Item Discription	Qty
1	<p>Providing and fixing table : Table size should not be less than Width 2350 mm, Depth 1350 mm and Height 740 mm. Top should be made from 25mm thick pre-laminated board with 2mm thick PVC edge beading. All side panels should be made from 25mm thick pre-laminated twin with 2mm thick PVC Lipping of same color on sides and 0.8mm PVC Lipping of matching color on the bottom curve. Modesty panels should be made from 18mm thick pre-laminated board with 0.8mm PVC Lipping of matching color. Also centre support panel should be made from 25mm thick pre-laminated twin with 2mm PVC Lipping of matching color on sides and 0.8mm PVC Lipping of matching color on the bottom curve. The Plastic glide holder should having provision for wire entry and glide fixing The wire carrying facilitated through the hollow space between two leg extrusions and the wires concealed between removable rigid PVC extrusion in the leg. Access Flap and Switch mounting Tray made from Matt silver Anodized Aluminium extrusion and plastic moulded components to facilitate access of Electrical/Data/Voice sockets access from Top. Switch Mounting Tray Powder coated switch mounting tray made from 0.8mm and 1.2mm MS sheet. Switches to be mounted on tray as per requirement as there is provision for mounting 8-Module Anchor Roma switch plate on switch mounting tray.</p>	1
2	<p>Providing and fixing of high back rev chairs GRIHA certified having SEAT/BACK ASSEMBLY made up of 1.2 ±0.1cm. thick hot-pressed plywood and upholstered with-fabric upholstery covers and moulded Polyurethane foam. The back is designed with contoured lumber support for extra comfort. The seat has extra thick foam on front edge to give confort to popliteal area. the high back size is 47 cm W x 69.5cm H and the seat size is 47 cm W x 48 cm D. The HR PU foam is moulded with density 45+-2 kg/m cube and hardness load 16 +- 2 kgf as per IS:7888 fof 25% compression. The one piece armrest are injection moulded from black Co Polymer PP. Centre tilt syncro mechanism has 360 degree revolving type, upright position locking, tilt tension adjustment, seat/back ratio of 1:3. The pneumatic height adjustment has an adjustment stroke of 12+- 0.3 cm. Telescopic bellow assy: it is 3 pc telescopic type and injection moulded in black PP. The pedestal is injection moulded in black 33% glass filled Nylon 66 and fitted with 5 nos. twin wheel castors. the pedestal is 66.3 +- 0.5 cm. pitch dia (76.3 +- 1 cm with castors). The twin wheel castors are injection moulded in black nylon.</p>	1
3	<p>Providing and fixing of chairs GRIHA CERTIFIED mid back having seat/back assembly made up of 1.2 ±0.1cm. thick hot-pressed plywood measured as per QA method and upholstered with-fabric upholstery covers and moulded Polyurethane foam. The back foam to be designed with contoured lumbar support for extra comfort. The seat should have extra thick foam on front edge to give comfort to popliteal area. Back Size should be 47.5 cm. (W) x 58.0 cm. (H) - SEAT SIZE 47.0 cm. (W) x 48.0 cm. (D). The Chair should have HIGH RESILIENCE (HR) POLYURETHANE FOAM.moulded with density =45±2 kg/m3 and hardness load 16 ± 2 kgf as per IS:7888 for 25% compression and ARMRESTS which are one-piece injection moulded from black Co. polymer Polypropylene. The chair should have CENTERTILT.SYNCHRO MECHANISM with the following features: • 3600 revolving type., Upright-position locking, Tilt tension adjustment, Seat/back tilting ratio of 1:3. The Chair shall have PNEUMATIC HEIGHT ADJUSTMENT at stroke of 12.0 ±0.3cm. with TELESCOPIC BELLOW ASSEMBLY with 3 piece telescopic type and injection moulded in black Polypropylene.PEDESTAL ASSEMBLY with injection moulded in black 33% glass-filled.Nylon-66 and fitted with 5.nos. twin wheel castors. The pedestal shall be 66.3 ±0.5cm. pitch-center dia. (76.3 ±1.0cm with castors). The twin wheel castors shall be injection moulded in Black Nylon.</p>	8

4	<p>Supply and Installation of Island tables including granite worktops and other supporting structures/hardware's based on the specified areas of various sizes with Hanging Storage 750 Mm W, 535 Mm D & 485 Mm H . Furniture shall meet the performance requirements and should follow SEFA 8 guidelines. All C-Frames assemblies should be manufactured from standard hollow metal sections; confirming to I.S. Code 7138:1973 (Indian Standard specification for steel tubes for furniture) and all sheet metal components should be of CRCA confirming to IS Code 513:1994. The suspended under-bench welded units should be supported on heavy-duty steel frames fully carrying the load of worktops. C-frame should be constructed from a rectangular pipe with a cross section of 60mm x 30mm and should be 2 mm thick and should be without a vertical front leg to give a clean look. This shall provide more knee space or leg space and would facilitate uninterrupted lateral movement of the under-bench units within the bench run. The C-frame legs should be supplied with adjustable feet (tolerance from -5mm to +20mm) to correct the unevenness of flooring. The tubular enclosed type construction shall discourage dust accumulation and unwanted development of bacteria & fungus. The structure should have a removable back panel to provide access for maintenance throughout the length of table. The C-frame shall also have skirting at back bottom side. It should be heights of 750 MM and width 1240mm, 1540mm for Island tables. HORIZONTAL MEMBERS should be made from rectangular pipes of 2mm thickness. Cross-sectional dimensions of the pipe should be 60 x 30 x 2 mm. They should be made of CRCA MS and coated with pure epoxy powder. These connect two C-Frames together using C-clamps/U-clamps. Together with the C-Frames and Horizontal Members connected together. ELECTRICAL TRUNKING should be mounted on Granite top for housing electrical switches and sockets, trunking should be made from 1.0 mm thick CRCA MS panel. It should be made from CRCA MS with pure epoxy powder coating. The front surface that houses the electrical points should have a slope. WELDED UNDER-BENCH STORAGE CABINETS:Welded cabinet body should be of flush face construction with intersection of vertical and horizontal members like LH and RH side panel along with front horizontal channel, back panel and bottom panel. Cabinet should be of square non-sharp edge construction. Doors should be assembled with SS-304 hinge assembly. Removable back panel should be provided. Drawer tray should be of single piece construction. Drawer should be well supported on LH and RH ball slide suspension system. Steel door and drawer front is of double wall construction with sound dampening material filled inside. Doors should be easily removable and hinges should be easily replaceable. Knee space panel should be in 22 gauge construction. Thickness: LH/RH side panels, shutter front, Bottom panel, Top front, Drawer separator, shelf, Alignment channel should be of 1.2mm thk. Removable Back panel, Shutter cover, Fr. Rack strip, Top cover panel should be of 0.8mmthk. Finish: Powder coating pure epoxy, thickness 40-50 microns.</p>	
A	Room 1: Island table (L 4350 X D 1540) WITH Hanging Storage 750 Mm W, 535 Mm D & 485 Mm H - 6 Nos and 1500 Module Length Single Side Electrical Trunking - Cutouts: 6M + 6M + 6M both side.	1
B	Room 2 : Island table (L 2700 X D 1540)WITH Hanging Storage 750 Mm W, 535 Mm D & 485 Mm H - 4 Nos and 1500 Module Length Single Side Electrical Trunking - Cutouts: 6M + 6M + 6M both side & Island table (L 2100 X D 1240) - 2 no WITH Hanging Storage 750 Mm W, 535 Mm D & 485 Mm H -2 Nos and 1500 Module Length Single Side Electrical Trunking - Cutouts: 6M + 6M + 6M one side	1
C	Room 3: Island table (L 4350 X D 1540) WITH Hanging Storage 750 Mm W, 535 Mm D & 485 Mm H - 6 Nos and 1500 Module Length Single Side Electrical Trunking - Cutouts: 6M + 6M + 6M both side.	1
D	Room 4 & 5 : Island tables (L 2700 X D 1540) WITH Hanging Storage 750 Mm W, 535 Mm D & 485 Mm H - 4 Nos and 1500 Module Length Single Side Electrical Trunking - Cutouts: 6M + 6M + 6M both side.	2
5	Providing and fixing chair of having seat and back are made up of 1.2 ± 0.1cm thick hot pressed plywood and upholstered with fabric and moulded PU foam with PVC lipping all around. The back foam is designed with contoured lumbar support for extra comfort. Back Size 49cmWX47cmH and Seat size 49cmX44cm. The HR PU foam is moulded with density = 45 ±2Kgs/m ³ and hardness load 16± kgf as per IS 7888 for 25% compression. The armrest tops are injection moulded from PU. They are fitted to tubular armrest supports made of 2.54 X .16 cm thick MS ERW tube and black powder coated with DFT of 40 to 60 microns.	36

6	<p>Providing and fixing 4 seater Module workstation - Tile Based System with thickness should not be less than 50 mm and 25 mm fins on return. Main structure of combination of frames with height min 4'0" feet and widths varying from min 5 feet. The frame should be comprises of 2 vertical uprights, a top horizontal tube and a bottom tube with legs as a welded structure. Frame should have Vertical upright made from minimum 1.5mm thick CRCA M.S. Grade D formed into "C" channel of 28.4 X 40. The top & Bottom horizontal should be minimum 1.2 mm thick M.S. tube of 25.4 X 25.4 mm (1 X 1 inch). The frame should have legs min 80 mm ht at bottom which takes M8 Glides for leveling of the panel. The frame should be powder coated in standard colour. The pitch for mounting the brackets on the upright should be min 25.0 mm. The rectangular slot for wires on the upright should be 60mm (H) x 18 mm (W), 1 no. at the bottom and 2 nos. at the intermediate level wherein each slot can allow 9 power cables of Dia.10 or 32 data cables of Dia. 6. The panel should be completely open at bottom to pull wires and once in the panel, the wires can be laid flat at bottom and can be taken through the gap between bottom tube and the metal tile. The bottom member in specific offering does not have any cutout to take cables. The work top height should not be less than 730 mm from floor. Bottom Embossed Metal tiles should be powder coated metal tiles in min 0.6 mm thick M.S. CRCA Grade D as per IS:513 – 1994. Min 25 mm thick laminated FIN should be use for separation. Modules should have wooden top support pedestal at center, the configuration of the Pedestal should be 2 Box and one file drawer and the size is 450W X 450D X 705 ht including leveler. Worktop should be min 25 mm thick prelaminated (with PVC lipping). All the edges of work surface shall be provided with machine pressed 2 mm thick PVC lipping glued with hotmelt EVA glue. The work tops should be in trapezoidal. The work surface should be provided with circular cut out of Dia.65mm as per the requirement, for passing of wires. These cut outs shall be provided with ABS covers.</p>	1
7	<p>Providing and fixing Table whose main top should be 1800 X 795mm particle board melamyne finish. It should have 25mm top plus 15mm frame, 2 mm PVC lipping on top and 0.35mm PVC lipping on frame. Modesty panel should be of 1100 X 405 X 16mm thick particle board melamyne finish with 0.35 mm thick PVC lipping. Drawer front of 500 X 170 X 16mm thick particle board melamyne finish with 0.35mm thick PVC lipping. KBPT of 578mm(w)X 284mm(D)X 16mm thick particle board melamyne finish with 0.35mm thick PVC lipping with ERU 1600(L) X 500(W) X 650(H)mm. All panels are 16mm thick particle board melamyne finish with 0.35mm thick PVC lipping .</p>	1
8	<p>Providing and fixing revolving Mid back Chair having seat and back should be made up of 1.2 cm thick hot pressed plywood, upholstered with fabric and moulded Polyurethane foam. The back foam is designed with contoured lumbar support for extra comfort.The polyurethane foam should be moulded with density = 45 +/-2 kg/m3 and Hardness = 16 +/- 2 . The one-piece armrests should be made of plastic injection moulded black nylon.The mechanism should designed with features of 360° revolving type, Upright position locking, Tilt tension adjustment with seat/bach tilting ratio of 1:3(6 degree seat tilt & 18 degree back tilt). The pneumatic height adjustment has an adjustment stroke of 11.0 cm.The bellow is 3 piece telescopic type and injection moulded in black Polypropylene.The pedestal is injection moulded in black 30% glass filled Nylon-66 & fitted with 5 nos twin wheel castors.The pedestal is 62.0cm, pitch centre dia(72.0 cm with castors).The twin wheel castors are injection moulded in Black nylon. The Seat size is of 45cm(W) x 42 cm(D) & back size of 39cm(W) x 38cm(H).</p>	4